ORDINANCE 2010-75

AN ORDINANCE AMENDING THE SPECIFICATIONS OF STORM DRAINAGE CULVERTS.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF SHOREACRES:

That if any section, clause, sentence, or phrase of this Ordinance is held to be invalid or unconstitutional by any court of competent jurisdiction, then said holding shall in no way affect the validity of the remaining portions of this Ordinance; and,

That section 54-81 of the Shoreacres City Code is hereby amended to read as follows:

Sec. 54-81. Specifications.

(a)   All culvert pipe installed along street right-of-way must have surface drains no less than 40 feet apart and no less than a minimum opening size of one square foot or as specified by the city engineer or building inspector in the building department.

(b)   Any culvert used for new or replacement pipe shall have [a] an interior diameter no smaller than the next downstream culvert pipe, [or] upstream culvert pipe, or 18 inches (whichever is larger), or as specified by the city engineer or building inspector in the building permit [, but in no case shall be no less than 18 inches in diameter].

The City Council officially finds, determines, recites, and declares that a sufficient written notice of the date, hour, place and subject of this meeting of the City Council was posted at a place convenient to the public at the City Hall of the City for the time required by law preceding this meeting, as required by the Open Meetings Law, Chapter 551, Texas Government Code; and that this meeting has been open to the public as required by law at all times during which this ordinance and the subject matter thereof has been discussed, considered and formally acted upon. The City Council further ratifies, approves and confirms such written notice and the contents and posting thereof.

This Ordinance shall be effective from and after its passage and approval, and it is so ordered.

PASSED AND APPROVED this the _26TH_ day of _JULY_ 2010.

Dolly J. Arons
Dolly Arons, Mayor

ATTEST:

David K. Stall
City Secretary